

**To:** Maimone, Francesco[Maimone.Francesco@epa.gov]  
**Cc:** Banner, Ellen[Banner.Ellen@epa.gov]; Kodama, Doug[Kodama.Doug@epa.gov]; Paulikas, Theresa M.[Paulikas.Terry@epa.gov]; Ekstedt, Christina[Ekstedt.Christina@epa.gov]  
**From:** Daly, Eric  
**Sent:** Thur 1/5/2017 4:43:34 AM  
**Subject:** Daly: Annual SPCC Inspector Training Form & FY17 SPCC Inspections  
[Daly SPCC Inspector Annual Training Form 2016.pdf](#)

Good Evening:

I hope everyone had a great holiday. Attached is my Annual SPCC Inspector Training Form. Incomplete. I should have completed it on December 7<sup>th</sup> but continue to have issues with Wiki Training. I got an 80% the first time and then got pulled away with Site issues. Once I was able to log in, I got locked out of the course. Then Annual Leave, Daytime Response, etc. Today I took a second test. Fast forwarded through text...it allowed me to fast forward through questions without even answering. So I automatically failed and got locked out. I am spending hours on this. Last one, Inspections at Federal Facilities, three parts....spent an hour. Then it gets stuck. It tells me to close out Part 3 but never finalizes it. Screen shot below. Very poor design and frustrating. I will revisit tomorrow. Hopefully, it is not too late to enter my information.

Inspections at Federal Facilities

Inspections at Federal

Part 1
Review

Part 2
Review

Part 3
Continue

Inspections at Federa
Locked

Certificate of Complet
Locked

Course Evaluation
Open

Legend

✓ Passed

☹ In Progress

✖ Failed

CR Credit Received From Outside

⬇ Prerequisites

↺ Test-Outs

★ Required

⦿ Not Required

Inspections at Fed

N

Summ

Open

Close

St

Cumulative S

Certif

Completion Requirem

Next Suggested

On that note, due to site work, our annual Feb training and other scheduling conflicts, I would like to push my SPCC Inspection off from January 29-Feb 5<sup>th</sup>, 2017 until March 12<sup>th</sup>-18<sup>th</sup>, 2017. At this point, I would be flying to NFB Site, then from Niagara to PR, then back to NJ for annual training. By the end of February, I may be done with NFB removal work until April or so. I also need more time to plan and maximize my inspections in PR.

Please let me know if there are any issues with this change. If not, Terry, please revise my TA and any travel schedule documents. Thanks

**From:** Maimone, Francesco  
**Sent:** Thursday, October 27, 2016 4:38 PM  
**To:** Daly, Eric <Daly.Eric@epa.gov>  
**Cc:** Banner, Ellen <Banner.Ellen@epa.gov>  
**Subject:** FY17 SPCC Inspections

Hi Eric,

Here's your SPCC list for FY17:

<b>Facility Name</b>	<b>Facility ID</b>	<b>Points</b>
*Petroleum Products Supply, LLC	R2-PR-00021	1.5
*Essroc San Juan Facility	R2-PR-00030	1.5
*Olein Recovery Inc.	R2-PR-00126	1.5
*Industrial Chemical Corporation	R2-PR-00130	1.5
*ISLA GRANDE FLYING SCHOOL	R2-PR-00139	1.5
*The Battery Recycling Company	R2-PR-00316	1.5
Luis Munoz Marin Airport Terminal	R2-PR-00025	1
PEERLESS OIL & CHEMICALS, INC	R2-PR-00008	1
Spill Facility Self Target- coordinate with OPC	1	
New or Pre-Existing Self Target- coordinate with OPC	1	

Target: 7 points

Good luck!

Francesco